SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

ELEMENT MATERIALS TECHNOLOGY IRVINE
41 Tesla
Irvine, CA 92618
Ms. Renee Walker Phone: 503 654 4224
Renee.walker@element.com

ELECTRICAL [1]

Valid To: June 30, 2025 Certificate Number: 3310.04

In recognition of the successful completion of the A2LA evaluation process (including an assessment of the organization's compliance with A2LA's FDA ASCA Accreditation Program requirements [2]) accreditation is granted to this laboratory to perform the following EMC, Product Safety, Radio, and Telecommunication tests on IT/Multimedia Equipment, Audio Equipment, Industrial Equipment, Radio Equipment, and Cellular Devices:

Test Technology:	Test Method(s) [3]:
Emissions	
Conducted and Radiated	
U.S. / Canada	CFR 47, FCC Part 15, Subpart B (using ANSI C63.4-2014); 47 CFR FCC Part 18 (using FCC MP-5:1986); ICES-001 (Issue 5, July 2020) ICES-002 (Issue 7, September 2020); ICES-003 (Issue 7, October 2020) ICES-004 (Issue 5, October, 2022) ICES-005 (Issue 5, December 2018) ICES-006 (Issue 3, July 2018)
International	IEC/CISPR 11 Ed. 6.0 (2015) +A1 (2016); CISPR 11 Ed. 6.2 (2019); CISPR 11: 2015 A1:2016 A2:2019 IEC/CISPR 11 Ed. 4.1 (2004-06) +A2 (2006); IEC/CISPR 11 Ed. 5 (2009-05) +A1 (2010); CISPR 12 (2007) + A1 (2009); CISPR 14-1:2020; CISPR 14-1 (2005) + A1 (2008) + A2 (2011); CISPR 14-1 (2016); IEC/CISPR 15 (2018); CISPR 15 (2009); IEC/CISPR 22 Ed. 5 (2005)+A1(2005)+A2 (2006); IEC/CISPR 22 Ed. 6.0 (2008-09); CISPR 32 Ed. 2.1 (2015) + A1(2019); CISPR 32 Ed. 1 (2012-11); CISPR 16-2-1:2014; CISPR 16-2-1:2014+A1:2017; CISPR 16-2-2:2010; CISPR 16-2-3:2016; CISPR 16-2-3:2019

Test Technology:	Test Method(s)[3]:
Voltage Dips, Short Interruptions and Voltage Variations on DC Input Power Port	IEC 61000-4-29; EN 61000-4-29; IEC 61000-4-29 (2000); SANS 61000-4-29 Ed. 1 (2005)
Radiated Fields in Close Proximity	IEC 61000-4-39; EN 61000-4-39; IEC 61000-4-39 (2017)
Generic / Product Family / Product Specific Standards	IEC 61000-6-1 (2016); IEC 61000-6-1, Ed. 2 (2005-03); EN 61000-6-1 (2007); KS C 9610-6-1; EN 61000-6-2 (2016); EN 61000-6-2 (2005) + AC (2005); IEC 61000-6-2 (2016); EN IEC 61000-6-2 (2019); IEC 61000-6-2 Ed. 2.0 (2005-11); EN 61000-6-2 (2005); KS C 9610-6-2; KS C 9610-6-3; KS C 9610-6-4; EN 61000-6-3 (2007) + A1 (2011) + AC (2012); EN 61000-6-4 (2007) + A1 (2011); IEC 61000-6-3 (2020); IEC 61000-6-4 (2018); EN 61326-2-1 (2013); IEC 61326-2-1 (2020); EN IEC 61326-2-1:2021; IEC 61326-2-6 Ed. 2.0 (2012); EN IEC 61326-2-6:2021; IEC 61326-3-1 (2008) + (2017); TCVN 7317:2003 (CISPR 24:1997); AIM 7351731 (2017); AIM 7351731 Rev. 3 (2021); IEC CISPR 14-2:2020; CISPR 14-2 Ed. 2. (2015); IEC/CISPR 14-2 Ed. 1.2 (2008); IEC/CISPR 24 (1997); EN 55024 (1998) + A1(2001), A2(2003); (2010); CISPR 35 (2016); EN 55035 (2020); KS C 9814-2; KS C 9835; SANS 60601-1-2 Ed. 4 (2018); IEC 60601-1-2 Ed. 2.1 (2004-11); IEC 60601-1-2 Ed. 3.0 (2007); IEC 60601-1-2 Ed. 4.0 (2014) + A1 (2020); KS C IEC 60601-1-2; IEC 60601-1-2 Ed. 4.0 (2014); EN 60601-1-2 (2002); EN 60601-1-2 (2007); EN 60601-1-2 (2015); EN 60601-1-2:2015 +A1:2021; IEC 60601-2-2 (2018), clause 202, Annex BB; IEC 60601-2-4 Ed. 3.0 (2010), clause 202; IEC 60601-2-25 Ed. 2.0, (2011-10), clause 202; IEC 60601-2-27 Ed. 3.0 (2011), clause 202; IEC 60601-2-30, clause 202; IEC 60601-2-31 (2008)+A1 (2011), clause 202; EN 60601-2-37 (2008) + A1 (2015), clause 202; IEC 60601-2-47 Ed. 2.0 (2012-02), clause 202; IEC 60601-2-49 (2011), clause 202; EN 60601-2-49 (2015), clause 202; IEC 80601-2-49 (2018), clause 202; ISO 80601-2-55 (2018), clause 202; IEC 60601-2-50, Edition 2.1 (2016-04); ISO 80601-2-56, clause 202; ISO 80601-2-61 (2017), clause 202; ISO 80601-2-61 (2011), clause 202; ISO 9919 Ed. 2.0 (2005), clause 36; ISO 14117 (2012) sections 4 and 5; ISO 14708-1 (2014) clause 27; ISO 14708-3 (2017-04) clause 27; ISO 14708-4 (2008-11-15) clause 27; ISO 14708-4:2022 Clause 27; EN 60945 (2002) excluding clauses 8 and 11

Test Technology:	Test Method(s)[3]:
HOUS (excluding Transient Over Voltages, Resistance to Rusting, Radiation and similar Hazards, Software Evaluation, UV Radiation Effect on Non-Metallic Materials)	

Test Technology:	Test Method(s)[3]:
Korea (cont.)	RRA Public Notification 2012-21 (Nov. 06, 2012) RRA Announce 2013-3, (Jul 26, 2013) Korean only, RRA Notice 2014-2, K only (Feb. 4, 2014) RRA Announce 2014-40 (Dec. 23, 2014) RRA Announce 2015-31 (Sep. 30, 2015) Korea only RRA Announce 2015-35 (Jan. 5, 2016) RRA Notice 2017-7, Korean only (Aug. 4, 2017) RRA Public Notification 2015-23 (Nov. 18 2015) RRA Public Notification 2017-8 (Aug. 28 2017) RRA Public Notification 2011-24 (Dec. 23, 2011) RRA Announce 2012-21, K only (Jun. 28, 2012) RRA 2013-3 and 2013-24, June 17, 2013, Korean only RRA 2014-8 and RRA 2014-37 (June 23, 2014) RRA Public Notification 2015-27 (Dec. 03 2015) RRA Announce 2015-10 (Dec. 3, 2015) RRA Public Notification 2016-26 (Dec.19 2016) RRA Announce 2016-79 (Dec.19 2016) RRA Public Notification 2017-19 (Dec. 28, 2017) RRA Announce 2017-1 (Dec. 28, 2017) Unlicensed Radio Equipment Established Without Notice (MSIT Public Notification 2023-18, June 20, 2023)
Australia / New Zealand	AS/NZS 4268 (2017); AS/NZS 4268 (2012) + A1 (2013), AS/NZS 4268:2017 + A1:2021; Radiocommunications Equipment (General) Rules 2021 – Schedule 4 EME standard using measurement method AS/NZS 2772.2; Radiocommunications Equipment (General) Rules 2021 – Schedule 5, Part 15, Short Range Equipment Standard using test method AS/NZS 4268

Test Technology:	Test Method(s)[3]:
Vietnam	QCVN 11 (2010): BTTTT; QCVN 12 (2015): BTTTT; QCVN 13 (2010): BTTTT; QCVN 15 (2015): BTTTT; QCVN 16 (2018): BTTTT; QCVN 18 (2022): BTTTT; QCVN 41 (2011): BTTTT; QCVN 41 (2016): BTTTT; QCVN 42 (2011): BTTTT; QCVN 54 (2020): BTTTT; QCVN 55 (2011): BTTTT; QCVN 65 (2013): BTTTT; QCVN 65 (2021): BTTTT; QCVN 73 (2013): BTTTT; QCVN 74 (2020): BTTTT; QCVN 75 (2013): BTTTT; QCVN 76 (2013): BTTTT; QCVN 88 (2015): BTTTT; QCVN 91 (2015): BTTTT; QCVN 94 (2015): BTTTT; QCVN 95 (2015): BTTTT; QCVN 96 (2015): BTTTT; QCVN 99 (2015): BTTTT; QCVN 103 (2016): BTTTT; QCVN 110 (2017): BTTTT; QCVN 111 (2017): BTTTT; QCVN 112 (2017): BTTTT; QCVN 117 (2020): BTTTT; QCVN 118 (2018): BTTTT
Telecommunication	EN 300 386 V2.1.1:2016-07; EN 300 386; AS/CA S042.4:2022; AS/CA S042.5:2022
RF Exposure (excluding SAR and HAC)	RSS-102 Measurement (RF Exposure - MPE Calculation, NS); SPR-002; IEEE Std C95.3 (2002); IEEE Std C95.3:2021; EN 50364 (2018) + (2010); EN 50383 (2010); EN 50566 (2017); EN 50663 (2017); EN 62233 (2008); EN IEC 62311 (2020); EN 62311 (2008); OET Bulletin 65, Edition 97-01; ARPANSA RPS S1 Rev 1; AS/NZS 2772.2:2016 +A1:2018

[1] When the date, edition, version, etc. is not identified in the scope of accreditation, laboratories may use the version that immediately precedes the current version for a period of one year from the date of publication of the standard measurement method, per part C., Section 1 of A2LA-R101 General Requirements - Accreditation of ISO/IEC 17025 Laboratories.

Testing Activities Performed in Support of FCC Certification in Accordance with 47 Code of Federal Regulations and FCC KDB 974614, Appendix A, Table A.1[4]

Rule Subpart/Technology	Test Method(s)	Maximum Frequency (MHz)
Citizens Broadband Radio Services (FCC Licensed Radio Service Equipment) Part 96	ANSI/TIA-603-E; TIA-102.CAAA-E; ANSI C63.26:2015	220000
Maritime and Aviation Radio Services Parts 80 and 87	ANSI/TIA-603-E; ANSI C63.26:2015	220000
Microwave and Millimeter Bands Radio Service Parts 25, 30, 74, 90 (above 3 GHz), 95 (above 3 GHz), 97 (above 3 GHz), and 101	ANSI/TIA-603-E; TIA-102.CAAA-E or ANSI C63.26:2015	220000
Signal Boosters Part 20 (Wideband Consumer Signal Boosters, Provider-specific Signal Boosters, and Industrial Signal Boosters), Section 90.219	ANSI C63.26:2015	220000

[4]Accreditation does not imply acceptance to the FCC equipment authorization program. Please see the

Testing Activities performed under the scope of the U.S FDA ASCA Pilot Program Specifications Basic Safety and Essential Performance of Medical Electrical Equipment, Medical Electrical Systems, and Laboratory Medical Equipment – Standards Specific Information for the Accreditation Scheme for Conformity Assessment (ASCA) Pilot Program published on September 25th, 2020, and in accordance with all requirements of A2LA R256 Specific Requirements: FDA ASCA Program[5]	
Standards:	Document Number:
ISO 80601-2-55, 2018	1-140
ISO 80601-2-61 Second edition 2017-12 (Corrected version 2018-02)	1-139
IEC 60601-2-25 Edition 2.0, 2011-10	3-105
IEC 60601-2-27 Edition 3.0, 2011	3-126
IEC 60601-2-47 Edition 2.0, 2012-02	3-155
IEC 60601-1-2 Edition 4, 2014-02	19-8
IEC 60601-2-2 Edition 6.0 2017-03 (EMC testing only)	6-389
IEC 60601-2-50, Edition 2.1, 2016	6-387
IEC 80601-2-30, 2018	3-123
IEC 60601-2-34, 2011	3-

[5] These methods have been assessed by A2LA according to A2LA's FDA ASCA Program requirements. Accreditation by A2LA does not imply FDA ASCA accreditation. All ASCA accreditation decisions for testing laboratory applications are made solely by the FDA. A list of approved laboratories can be found at FDA.gov.

Accredited Laboratory Testing

For the tests to which this accreditation applies, please refer to the laboratory's Electrical Scope of Accreditation.